L	Hits	Search Text	DB	Time stamp
Number 1	2	("6161113").PN.	USPAT;	2004/10/06
		(6161113).PN.	US-PGPUB;	09:43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	35	@ad<19990929 and view with users with	USPAT;	2004/10/06
		access with status	US-PGPUB;	09:55
			EPO; JPO; DERWENT;	
1			IBM TDB	
3	235	@ad<19990929 and viewed with users with	USPAT;	2004/10/06
1		access	US-PGPUB;	09:59
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/10/06
4	4	@ad<19990929 and viewed near users with	USPAT;	2004/10/06
		access and (groupware or collaboration)	US-PGPUB; EPO; JPO;	09:56
			DERWENT;	
			IBM TDB	
5	56	@ad<19990929 and viewed near users with	USPAT;	2004/10/06
1		access	US-PGPUB;	11:34
1			EPO; JPO;	
1			DERWENT;	
_	1.	0-4<10000000 and (files as desuments)	IBM_TDB USPAT;	2004/10/06
6	12	<pre>@ad<19990929 and (files or documents) with viewed near users with access</pre>	US-PGPUB;	09:59
		with viewed hear dsers with access	EPO; JPO;	03.33
			DERWENT;	
			IBM_TDB	<u> </u>
7	37	@ad<19990929 and view with access same	USPAT;	2004/10/06
		user near (viewed or accessed)	US-PGPUB;	10:16
			EPO; JPO; DERWENT;	1
			IBM TDB	
8	2	("6,230,185").PN.	USPAT;	2004/10/06
*		(0,200,200 , 1211)	US-PGPUB;	11:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/10/06
9	16	6,230,185	USPAT; US-PGPUB;	2004/10/06
1			EPO; JPO;	*****
			DERWENT;	
			IBM_TDB	
10	2	("6574561").PN.	USPĀT;	2004/10/06
			US-PGPUB;	11:03
			EPO; JPO;	
			DERWENT; IBM TDB	
11	25	 @ad<19990929 and viewed near group and	USPAT;	2004/10/06
		percentage	US-PGPUB;	11:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/10/05
12	1	@ad<19990929 and viewed near group same	USPAT;	2004/10/06
		percentage	US-PGPUB; EPO; JPO;	13:17
			DERWENT;	
	1		IBM TDB	
13	3	@ad<19990929 and users same group and	USPAT;	2004/10/06
		percentage near viewed	US-PGPUB;	11:34
1			EPO; JPO;	
			DERWENT;	
1,4		0-4×10000000 0m4	IBM_TDB USPAT;	2004/10/06
14	0	@ad<19990929 and users with (divided or broken\$) with group and percentage with	USPAT; US-PGPUB;	13:18
		(read or viewed)	EPO; JPO;	
		,,	DERWENT;	
	1	1	IBM TDB	1

Search History

10/6/04 4:03:44 PM

15	62	@ad<19990929 and users with group and percentage with (read or viewed)	USPAT; US-PGPUB; EPO; JPO;	2004/10/06 15:02
			DERWENT; IBM_TDB	
16	1646	<pre>@ad<19990929 and percentage with (read or viewed)</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/10/06
			DERWENT; IBM_TDB	
17	5	<pre>@ad<19990929 and percentage with (read or viewed) and groupware</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/10/06
18	10	 @ad<19990929 and percentage with (read or	DERWENT; IBM_TDB USPAT;	2004/10/06
		viewed) and (groupware or collabor\$)	US-PGPUB; EPO; JPO; DERWENT;	13:21
19	11	@ad<19990929 and users with group and	IBM_TDB USPAT;	2004/10/06
		percentage with (read or viewed or accessed) with (files or documents)	US-PGPUB; EPO; JPO; DERWENT;	13:24
24	264	@ad<19990929 and status with indication	IBM_TDB USPAT;	2004/10/06
		with (color or pattern)	US-PGPUB; EPO; JPO; DERWENT;	15:02
25	0	@ad<19990929 and status with indication with (color or pattern) and groupware	IBM_TDB USPAT; US-PGPUB;	2004/10/06 15:02
			EPO; JPO; DERWENT; IBM TDB	·
26	2	@ad<19990929 and status with indication with (color or pattern) and collabora\$	USPĀT; US-PGPUB; EPO; JPO;	2004/10/06 15:07
			DERWENT; IBM_TDB	
27	80	@ad<19990929 and status with (color or pattern) and collabora\$	USPAT; US-PGPUB; EPO; JPO;	2004/10/06 15:08
			DERWENT; IBM_TDB	
28	5	@ad<19990929 and status with (color or pattern) and collabora\$ and groupware	USPAT; US-PGPUB; EPO; JPO;	2004/10/06 15:10
			DERWENT; IBM TDB	
-	3	("6405191").PN.	USPAT; US-PGPUB; EPO; JPO;	2004/10/01 14:55
			DERWENT; IBM TDB	
-	514	@ad<19990929 and groupware	USPAT; US-PGPUB; EPO; JPO;	2004/10/05 12:09
			DERWENT; IBM_TDB	
_	1352	@ad<19990929 and (groupware or collabor\$) and user and group and status	USPAT; US-PGPUB; EPO; JPO;	2004/10/05 12:10
			DERWENT; IBM_TDB	
_	96	@ad<19990929 and (groupware or collabor\$) and user same group same status	USPAT; US-PGPUB; EPO; JPO;	2004/10/05
			DERWENT; IBM_TDB	

-	24	@ad<19990929 and (groupware or (collabor\$	USPAT;	2004/10/05
		with software)) and user same group and indicat\$ with status and user adj access	US-PGPUB; EPO; JPO;	12:22
		indicat; with status and user adj access	DERWENT;	•
			IBM TDB	
-	0	@ad<19990929 and (groupware or (collabor\$	USPAT;	2004/10/05
		with software)) and user and group and	US-PGPUB;	13:12
		status same "not read" same "read" and	EPO; JPO;	
		(indicat\$ or display) near status	DERWENT;	
1_	o	@ad<19990929 and (groupware or (collabor\$	<pre>IBM_TDB USPAT;</pre>	2004/10/06
-		with software)) and user and group and	US-PGPUB;	09:43
		status same "not read" and "read" and	EPO; JPO;	*****
		(indicat\$ or display) near status	DERWENT;	
			IBM_TDB	
-	0	@ad<19990929 and (groupware or (collabor\$	USPAT;	2004/10/05
		with software)) and user and group and status and "not read" and "read" and	US-PGPUB; EPO; JPO;	13:12
		(indicat\$ or display) near status	DERWENT;	
		(indicacy of display, near status	IBM TDB	
-	0	@ad<19990929 and (groupware or (collabor\$	USPAT;	2004/10/05
		with software)) and user and group and	US-PGPUB;	13:13
1		status and "not read" and "read"	EPO; JPO;	
			DERWENT;	
_	0	@ad<19990929 and user and group and	IBM_TDB USPAT;	2004/10/05
]	status and "not read" and "read"	US-PGPUB;	13:13
			EPO; JPO;	
	1		DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	0004/10/05
-	4320	@ad<19990929 and user and group and status same indication	USPAT; US-PGPUB;	2004/10/05 13:13
		Status same indication	EPO; JPO;	13:13
			DERWENT;	
•			IBM_TDB	
_	3872	-	USPAT;	2004/10/05
		status with access	US-PGPUB;	13:25
	}		EPO; JPO; DERWENT;	
			IBM TDB	
_	1040	@ad<19990929 and user and group and user	USPAT;	2004/10/05
		same status with access	US-PGPUB;	13:25
			EPO; JPO;	
			DERWENT; IBM TDB	
_	149	@ad<19990929 and group same user same	USPAT;	2004/10/05
		status with access	US-PGPUB;	13:26
			EPO; JPO;	
			DERWENT;	'
-	0.5	and < 10000020 and another same transfer	IBM_TDB USPAT;	2004/10/05
1 -	85	@ad<19990929 and group same user same status with access and read	US-PGPUB;	13:26
		Seedab with accept and read	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	@ad<19990929 and group same user same	USPAT;	2004/10/05
		status with access and read and groupware	US-PGPUB; EPO; JPO;	13:26
			DERWENT;	
			IBM TDB	
-	5	@ad<19990929 and group same user same	USPĀT;	2004/10/05
		status with access and read and collabor\$	US-PGPUB;	15:16
			EPO; JPO;	
			DERWENT; IBM TDB	
_	0	@ad<19990929 and (collabor\$ or groupware)	USPAT;	2004/10/05
		and users same access and read and "not	US-PGPUB;	13:28
		read"	EPO; JPO;	
	}		DERWENT;	
L	<u> </u>		IBM_TDB	L

'				
-	0	@ad<19990929 and (collabor\$ or groupware)	USPAT;	2004/10/05
		and users and access and read and "not	US-PGPUB;	14:39
		read"	EPO; JPO;	
			DERWENT;	
			IBM TDB	•
_	2644	@ad<19990929 and (collabor\$ or groupware)	USPAT;	2004/10/05
	2014	and users and access	US-PGPUB;	14:40
		and users and access		14:40
			EPO; JPO;	<u> </u>
			DERWENT;	
			IBM_TDB	
-	1347	@ad<19990929 and (collabor\$ or groupware)	USPAT;	2004/10/05
		and users and access same (file or	US-PGPUB;	14:40
		document)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1134	@ad<19990929 and (collabor\$ or groupware)	USPĀT;	2004/10/05
		and users and access same (file or	US-PGPUB;	14:55
	i	document) and group	EPO; JPO;	1
		document, and group	DERWENT;	
			· ·	
		/HEE04000H)	IBM_TDB	2024/10/05
-	2	("5504889").PN.	USPAT;	2004/10/05
			US-PGPUB;	14:55
			EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	
-	10	@ad<19990929 and users with groups and	USPĀT;	2004/10/05
		percentage same "read"	US-PGPUB;	15:17
		F	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
1_	27	@ad<19990929 and users with groups and	USPAT;	2004/10/05
-	27		· ·	15:20
		percentage same access	US-PGPUB;	15:20
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	USPAT;	2004/10/05
-		percentage with access	US-PGPUB;	15:18
			EPO; JPO;	
			DERWENT;	Ť
			IBM TDB	1
i	1	@ad<19990929 and users with groups with	USPAT;	2004/10/05
1	_	percentage same access	US-PGPUB;	15:21
		porociougo sumo acoss	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	22	@ad<19990929 and users and group and	USPAT;	2004/10/05
1 -	32		US-PGPUB;	15:58
		groups with percentage same (access or		13.30
		read)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/10/05
-	83	@ad<19990929 and percentage and groupware	USPAT;	2004/10/05
1			US-PGPUB;	16:19
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	@ad<19990929 and percentage same (access	USPĀT;	2004/10/05
		or read) and groupware	US-PGPUB;	16:21
1		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			DERWENT;	
			IBM TDB	1
I _	28	@ad<19990929 and percentage same (users	USPAT;	2004/10/05
	20	or collaborat\$) and groupware	US-PGPUB;	16:32
1		or corraboracy, and groupware		10.02
1			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	1
-	546	1 -	USPAT;	2004/10/05
		or collaborat\$) same (read or access)	US-PGPUB;	16:32
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB_	

٦		546	@ad<19990929 and (users or	collaborats	USPAT;	2004/10/05
		340	same percentage same (read of		US-PGPUB;	16:32
			Same percentage same (read)	or access,	EPO; JPO;	10.32
1					DERWENT;	
					IBM TDB	,
1	_	184	@ad<19990929 and (users or	collaborats)	USPAT;	2004/10/05
1		104	same percentage with (read of		US-PGPUB;	16:32
1			Same percentage with (read)	or access,	EPO; JPO;	10.32
					DERWENT;	
					IBM TDB	
		2	@ad<19990929 and (users or	collaborate)	USPAT;	2004/10/05
	_	٦	same percentage with (read		US-PGPUB;	16:38
			(collabor\$ or groupware)	or access, and	EPO; JPO;	10.30
ŀ	i		(COllabols of gloupware)		DERWENT;	
					IBM TDB	
		184	@ad<19990929 and (users or	collaborate)	USPAT;	2004/10/05
١	_	104	same percentage with (read		US-PGPUB;	16:38
١			Same percentage with fread	or access,	EPO; JPO;	10.30
1					DERWENT;	
1					IBM TDB	
		184	 @ad<19990929 and (users or	collaboratore	USPAT;	2004/10/05
	_	104	same percentage with (read		US-PGPUB;	16:38
			same percentage with (read	or access!	EPO; JPO;	10.30
ļ					DERWENT;	
					IBM TDB	
		36	 @ad<19990929 and (users or	collaborators)	USPAT;	2004/10/05
1	_	36	same percentage with (read		US-PGPUB;	16:38
			Same Percentage with (read	or access!	EPO; JPO;	15.50
					DERWENT;	
					IBM TDB	
ı		1			TITE TITE	1